

## Agraplast plastic interior doors

### Agraplast interior doors:

- Extremely solid, robust construction
- Smooth surface for optimal hygiene
- · Resistant to disinfecting agents
- Door leaf fitted with smooth PP plate (polypropylene panels)
- Standard insulating XPS core (40 mm)
- Complete with stainless steel corner frame and stainless-steel hinges
- Colour grey (in accordance RAL 7040)
- Quick and easy installation
- Also available as double hinged door, sliding door and door with sliding knob
- Universal direction of rotation (both left and right turning)
- · Including draught strip and plastic handle
- Available in different versions (fully closed, with plexiglass window)
- · Supplied fully pre-assembled
- Available from stock in a large number of sizes
- · Also available in different (project) dimensions

#### Indestructible and ready to install

Bouwimpex supplies the Agraplast plastic doors specifically for applications in barns, halls and sheds. These high-quality doors are made of indestructible plastic and are supplied complete with a stainless steel corner frame for quick and easy installation. Agraplast doors are entirely corrosion-free, moisture-resistant and also beautiful to look at.

Agraplast doors are supplied fully pre-assembled and can therefore be installed immediately, without any loss of time; only the plastic handle, supplied as standard, needs to be fitted. As an option, they can be fitted with either a left or a right-hand opening.

In applications with plastic partition walls in modern pig farming, in particular, a moisture-resistant Agraplast inner door is essential. But these maintenance-free doors are also becoming increasingly common in hall construction and industrial applications. Agraplast plastic inner doors are the solution, especially in those places where hygiene, reliability and resistance to corrosion are important.

Agraplast plastic doors are also available with an ergonomic sliding knob, also hard-wearing and user-friendly. Ideal for use in air washers, where traditional locks sometimes corrode. The doors are optionally available with various accessories, such as a panic lock box, a knob cylinder and a ventilation grill.









# Agraplast plastic exterior doors

### Agraplast exterior doors:

- Extremely solid, robust construction
- Moisture and UV-resistant
- With insulating, fire-retardant XPS-kern
- High-quality double-sided polyester finish
- Complete with stainless steel corner frame and stainless-steel hinges
- Standard colour: white (available in several RAL colours)
- · Quick and easy installation
- Standard as revolving door (double doors possible)
- · Including draught strip and plastic handle
- Optional: plexiglass or iso-glass window 710 x 710 mm
- · Supplied fully pre-assembled
- Also available with code lock
- Available from stock in a large number of sizes
- · Also available in different (project) sizes

#### For all weather conditions...

In modern barn and hall construction, the extremely solid Agraplast exterior doors are increasingly being chosen - and not without reason! After all, Agraplast doors are moisture and UV-resistant and can, therefore, withstand various weather conditions perfectly. The doors have an insulated core of self-extinguishing PIR foam and are finished with a double-sided polyester protective layer.

Agraplast doors are supplied in white, as standard, but can also be ordered in farmers' green, brown or in other RAL colours. Choose a simple but effective plexiglass window or high-grade insulating double glazing with stainless steel-window frame. The possibilities are endless!

Naturally, around the door leaf, the Agraplast exterior doors are fitted with a strong stainless steel frame and supplied complete with stainless steel-frame and handles. Installation ready!

Dimensions (clear widths in mm) Agraplast single doors:	
Width	Height
750	2000
750	2125
750	2375
875	2000
875	2125
875	2375
1000	2000
1000	2125
1000	2375
1250	2000
1250	2375

Dimensions (clear widths in mm) Agraplast double doors:	
Width	Height
1500	2500
2500	2500
2750	3000
3000	3000

In addition to the aforementioned versions, various tailor-made versions for your particular projects can be produced.

### Do you still have questions after reading this brochure?

We will be happy to provide you with more information! Please contact our Sales Department: +31 (0)342 - 420 233. Or send an email to sales@bouwimpex.nl





